

# Massachusetts School Immunization Requirements 2020-2021<sup>§</sup>

Massachusetts school immunization requirements are created under authority of [105 CMR 220.000 Immunization of Students Before Admission to School](#)

**Requirements apply to all students including individuals from another country attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students, even if over 18 years of age.**

## Childcare/Preschool<sup>¶†</sup>

Attendees <2 years should be immunized for their age according to the [ACIP Recommended Immunization Schedule](#). Requirements listed in the table below apply to all attendees ≥2 years. These requirements also apply to children in preschool classes called K0 or K1.

Hib	<b>1-4 doses</b> ; the number of doses is determined by vaccine product and age the series begins
DTaP	<b>4 doses</b>
Polio	<b>3 doses</b>
Hepatitis B	<b>3 doses</b> ; laboratory evidence of immunity acceptable
MMR	<b>1 dose</b> ; must be given on or after the 1 <sup>st</sup> birthday; laboratory evidence of immunity acceptable
Varicella	<b>1 dose</b> ; must be given on or after the 1 <sup>st</sup> birthday; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

## Grades Kindergarten – 6<sup>¶†</sup>

In ungraded classrooms, Kindergarten requirements apply to all students ≥5 years.

DTaP	<b>5 doses</b> ; 4 doses are acceptable if the fourth dose is given on or after the 4 <sup>th</sup> birthday. DT is only acceptable with a letter stating a medical contraindication to DTaP
Polio	<b>4 doses</b> ; fourth dose must be given on or after the 4 <sup>th</sup> birthday and ≥6 months after the previous dose, or a fifth dose is required. 3 doses are acceptable if the third dose is given on or after the 4 <sup>th</sup> birthday and ≥6 months after the previous dose
Hepatitis B	<b>3 doses</b> ; laboratory evidence of immunity acceptable
MMR	<b>2 doses</b> ; first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable
Varicella	<b>2 doses</b> ; first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>¶</sup> Meningococcal vaccine requirements (see Grades 7-10 and 11-12) also apply to residential students in Grades pre-K through 8 if the school combines these grades in the same school as students in Grades 9-12.

<sup>†</sup>Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) and religious exemptions (statement from a student, or parent/guardian if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

\* A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.

See page 2 for Grades 7-10, Grades 11-12, and page 3 for College (Postsecondary Institutions)

# Massachusetts School Immunization Requirements 2020-2021<sup>§</sup>

Requirements apply to all students including individuals from another country attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students, even if over 18 years of age.

## Grades 7 – 12<sup>†</sup>

In ungraded classrooms, Grade 7 requirements apply to all students  $\geq 12$  years.

Tdap	<b>1 dose;</b> and history of DTaP primary series or age appropriate catch-up vaccination. Tdap given at $\geq 7$ years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule. Td or Tdap should be given if it has been $\geq 10$ years since last Tdap
Polio	<b>4 doses;</b> fourth dose must be given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose, or a fifth dose is required. 3 doses are acceptable if the third dose is given on or after the 4 <sup>th</sup> birthday and $\geq 6$ months after the previous dose
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable. 2 doses of HepIsav-B given on or after 18 years of age are acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given $\geq 28$ days after first dose; laboratory evidence of immunity acceptable
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given $\geq 28$ days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

## NEW – Meningococcal Requirements

Grade 7	<b>1 dose;</b> 1 dose MenACWY (formerly MCV4) required. Meningococcal B vaccine is not required and does not meet this requirement.
Grade 11 <sup>‡</sup>	<b>2 doses;</b> second dose MenACWY (formerly MCV4) must be given on or after the 16th birthday and $\geq 8$ weeks after the previous dose. 1 dose is acceptable if it was given on or after the 16th birthday. Meningococcal B vaccine is not required and does not meet this requirement.

## Meningococcal Vaccine Phase-In Schedule

	2020-2021	2021-2022	2022-2023	2023-2024
1 Dose MenACWY	Grade 7	Grades 7-8	Grades 7-9	Grades 7-10
2 Doses MenACWY	Grade 11	Grades 11-12	Grades 11-12	Grades 11-12

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>†</sup>Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) and religious exemptions (statement from a student, or parent/guardian if the student is  $< 18$  years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

\* A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.

<sup>‡</sup> Students who are 15 years old in grade 11 are in compliance until they turn 16 years old.

# Massachusetts School Immunization Requirements 2020–2021<sup>§</sup>

Requirements apply to all students including individuals from another country attending or visiting classes or educational programs as part of an academic visitation or exchange program. Requirements apply to all students, even if over 18 years of age.

## College (Postsecondary Institutions)<sup>†</sup>

Requirements apply to all full-time undergraduate and graduate students under 30 years of age and all full- and part-time health science students. Meningococcal requirements apply to the group specified in the table below.

Tdap	<b>1 dose;</b> and history of a DTaP primary series or age appropriate catch-up vaccination. Tdap given at ≥7 years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule. Td or Tdap should be given if it has been ≥10 years since Tdap.
Hepatitis B	<b>3 doses;</b> laboratory evidence of immunity acceptable; 2 doses of Heplisav-B given on or after 18 years of age are acceptable
MMR	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; laboratory evidence of immunity acceptable. Birth in the U.S. before 1957 acceptable only for non-health science students
Varicella	<b>2 doses;</b> first dose must be given on or after the 1 <sup>st</sup> birthday and second dose must be given ≥28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable. Birth in the U.S. before 1980 acceptable only for non-health science students
Meningococcal	<b>1 dose;</b> 1 dose MenACWY (formerly MCV4) required for all full-time students 21 years of age or younger. The dose of MenACWY vaccine must have been received on or after the student’s 16 <sup>th</sup> birthday. Doses received at younger ages do not count towards this requirement. Students may decline MenACWY vaccine after they have read and signed the <a href="#">MDPH Meningococcal Information and Waiver Form</a> provided by their institution. Meningococcal B vaccine is not required and does not meet this requirement

<sup>§</sup> Address questions about enforcement with your legal counsel. School requirements are enforced at the local level.

<sup>†</sup>Medical exemptions (statement from a physician stating that a vaccine is medically contraindicated for a student) and religious exemptions (statement from a student, or parent/guardian if the student is <18 years of age, stating that a vaccine is against sincerely held religious beliefs) should be renewed annually at the start of the school year.

\* A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by a physician, nurse practitioner, physician assistant, or designee.